

系列	描述	型号	脱扣器	In(A)	Icu(KA)	订货号	价格
SENTRON 3VT8 塑壳断路器	固定式, 3P						
	固定式, 3P	3VT63N10	TMF	10	25	3VT8010-1AA03-0AA0	341.77
	固定式, 3P	3VT63N16	TMF	16	25	3VT8016-1AA03-0AA0	341.77
	固定式, 3P	3VT63N20	TMF	20	25	3VT8020-1AA03-0AA0	341.77
	固定式, 3P	3VT63N25	TMF	25	25	3VT8025-1AA03-0AA0	341.77
	固定式, 3P	3VT63N32	TMF	32	25	3VT8032-1AA03-0AA0	341.77
	固定式, 3P	3VT63N40	TMF	40	25	3VT8040-1AA03-0AA0	341.77
	固定式, 3P	3VT63N50	TMF	50	25	3VT8050-1AA03-0AA0	341.77
	固定式, 3P	3VT63N63	TMF	63	25	3VT8063-1AA03-0AA0	341.77
	固定式, 3P	3VT100N32	TMF	32	25	3VT8103-1AA03-0AA0	371.80
	固定式, 3P	3VT100N40	TMF	40	25	3VT8104-1AA03-0AA0	371.80
	固定式, 3P	3VT100N50	TMF	50	25	3VT8105-1AA03-0AA0	371.80
	固定式, 3P	3VT100N63	TMF	63	25	3VT8106-1AA03-0AA0	371.80
	固定式, 3P	3VT100N80	TMF	80	25	3VT8108-1AA03-0AA0	371.80
	固定式, 3P	3VT100N100	TMF	100	25	3VT8110-1AA03-0AA0	371.80
	固定式, 3P	3VT160N32	TMF	32	35	3VT8203-1AA03-0AA0	643.75
	固定式, 3P	3VT160N40	TMF	40	35	3VT8204-1AA03-0AA0	643.75
	固定式, 3P	3VT160N50	TMF	50	35	3VT8205-1AA03-0AA0	643.75
	固定式, 3P	3VT160N63	TMF	63	35	3VT8206-1AA03-0AA0	643.75
	固定式, 3P	3VT160N80	TMF	80	35	3VT8208-1AA03-0AA0	643.75
	固定式, 3P	3VT160N100	TMF	100	35	3VT8210-1AA03-0AA0	643.75
	固定式, 3P	3VT160N125	TMF	125	35	3VT8212-1AA03-0AA0	643.75
	固定式, 3P	3VT160N160	TMF	160	35	3VT8216-1AA03-0AA0	643.75
	固定式, 3P	3VT250N160	TMF	160	35	3VT8316-1AA03-0AA0	815.04
	固定式, 3P	3VT250N200	TMF	200	35	3VT8320-1AA03-0AA0	815.04
	固定式, 3P	3VT250N250	TMF	250	35	3VT8325-1AA03-0AA0	815.04
	固定式, 3P	3VT400N250	TMF	250	35	3VT8425-1AA03-0AA0	2,444.28
	固定式, 3P	3VT400N315	TMF	315	35	3VT8431-1AA03-0AA0	2,444.28
	固定式, 3P	3VT400N400	TMF	400	35	3VT8440-1AA03-0AA0	2,444.28
	固定式, 3P	3VT630N400	TMF	400	35	3VT8540-1AA03-0AA0	4,454.25
	固定式, 3P	3VT630N500	TMF	500	35	3VT8550-1AA03-0AA0	4,454.25
	固定式, 3P	3VT630N630	TMF	630	35	3VT8563-1AA03-0AA0	4,454.25
	固定式, 3P	3VT160N63	MF	63	35	3VT8206-1CA03-0AA0	683.53
	固定式, 3P	3VT160N80	MF	80	35	3VT8208-1CA03-0AA0	683.53
	固定式, 3P	3VT160N100	MF	100	35	3VT8210-1CA03-0AA0	683.53
	固定式, 3P	3VT160N125	MF	125	35	3VT8212-1CA03-0AA0	683.53
	固定式, 3P	3VT160N160	MF	160	35	3VT8216-1CA03-0AA0	683.53
	固定式, 3P	3VT250N160	MF	160	35	3VT8316-1CA03-0AA0	860.50
	固定式, 3P	3VT250N200	MF	200	35	3VT8320-1CA03-0AA0	860.50
	固定式, 3P	3VT250N250	MF	250	35	3VT8325-1CA03-0AA0	860.50
	固定式, 3P	3VT400N250	MF	250	35	3VT8425-1CA03-0AA0	2,568.49
	固定式, 3P	3VT400N315	MF	315	35	3VT8431-1CA03-0AA0	2,568.49
	固定式, 3P	3VT400N400	MF	400	35	3VT8440-1CA03-0AA0	2,568.49
	固定式, 3P	3VT250N160	ER11	160	35	3VT8316-1EA03-0AA0	1,707.18
	固定式, 3P	3VT250N200	ER11	200	35	3VT8320-1EA03-0AA0	1,707.18
	固定式, 3P	3VT250N250	ER11	250	35	3VT8325-1EA03-0AA0	1,707.18
	固定式, 3P	3VT400N250	ER11	250	35	3VT8425-1EA03-0AA0	2,793.35
	固定式, 3P	3VT400N315	ER11	315	35	3VT8431-1EA03-0AA0	2,793.35
	固定式, 3P	3VT400N400	ER11	400	35	3VT8440-1EA03-0AA0	2,793.35
	固定式, 3P	3VT630N400	ER11	400	35	3VT8540-1EA03-0AA0	4,886.93
固定式, 3P	3VT630N500	ER11	500	35	3VT8550-1EA03-0AA0	4,886.93	
固定式, 3P	3VT630N630	ER11	630	35	3VT8563-1EA03-0AA0	4,886.93	
固定式, 3P	3VT63H10	TMF	10	50	3VT8010-2AA03-0AA0	545.52	
固定式, 3P	3VT63H16	TMF	16	50	3VT8016-2AA03-0AA0	545.52	
固定式, 3P	3VT63H20	TMF	20	50	3VT8020-2AA03-0AA0	545.52	
固定式, 3P	3VT63H25	TMF	25	50	3VT8025-2AA03-0AA0	545.52	
固定式, 3P	3VT63H32	TMF	32	50	3VT8032-2AA03-0AA0	545.52	
固定式, 3P	3VT63H40	TMF	40	50	3VT8040-2AA03-0AA0	545.52	
固定式, 3P	3VT63H50	TMF	50	50	3VT8050-2AA03-0AA0	545.52	
固定式, 3P	3VT63H63	TMF	63	50	3VT8063-2AA03-0AA0	545.52	

固定式, 3P	3VT100H32	TMF	32	50	3VT8103-2AA03-0AA0	552.83	
固定式, 3P	3VT100H40	TMF	40	50	3VT8104-2AA03-0AA0	552.83	
固定式, 3P	3VT100H50	TMF	50	50	3VT8105-2AA03-0AA0	552.83	
固定式, 3P	3VT100H63	TMF	63	50	3VT8106-2AA03-0AA0	552.83	
固定式, 3P	3VT100H80	TMF	80	50	3VT8108-2AA03-0AA0	552.83	
固定式, 3P	3VT100H100	TMF	100	50	3VT8110-2AA03-0AA0	552.83	
固定式, 3P	3VT160H32	TMA	32	50	3VT8203-2BA03-0AA0	986.32	
固定式, 3P	3VT160H40	TMA	40	50	3VT8204-2BA03-0AA0	986.32	
固定式, 3P	3VT160H50	TMA	50	50	3VT8205-2BA03-0AA0	986.32	
固定式, 3P	3VT160H63	TMA	63	50	3VT8206-2BA03-0AA0	986.32	
固定式, 3P	3VT160H80	TMA	80	50	3VT8208-2BA03-0AA0	986.32	
固定式, 3P	3VT160H100	TMA	100	50	3VT8210-2BA03-0AA0	986.32	
固定式, 3P	3VT160H125	TMA	125	50	3VT8212-2BA03-0AA0	986.32	
固定式, 3P	3VT160H160	TMA	160	50	3VT8216-2BA03-0AA0	986.32	
固定式, 3P	3VT250H160	TMA	160	50	3VT8316-2BA03-0AA0	1,246.10	
固定式, 3P	3VT250H200	TMA	200	50	3VT8320-2BA03-0AA0	1,246.10	
固定式, 3P	3VT250H250	TMA	250	50	3VT8325-2BA03-0AA0	1,246.10	
固定式, 3P	3VT400H250	TMA	250	50	3VT8425-2BA03-0AA0	2,907.81	
固定式, 3P	3VT400H315	TMA	315	50	3VT8431-2BA03-0AA0	2,907.81	
固定式, 3P	3VT400H400	TMA	400	50	3VT8440-2BA03-0AA0	2,907.81	
固定式, 3P	3VT160H63	MA	63	50	3VT8206-2DA03-0AA0	1,035.02	
固定式, 3P	3VT160H80	MA	80	50	3VT8208-2DA03-0AA0	1,035.02	
固定式, 3P	3VT160H100	MA	100	50	3VT8210-2DA03-0AA0	1,035.02	
固定式, 3P	3VT160H125	MA	125	50	3VT8212-2DA03-0AA0	1,035.02	
固定式, 3P	3VT160H160	MA	160	50	3VT8216-2DA03-0AA0	1,035.02	
固定式, 3P	3VT250H160	MA	160	50	3VT8316-2DA03-0AA0	1,271.25	
固定式, 3P	3VT250H200	MA	200	50	3VT8320-2DA03-0AA0	1,271.25	
固定式, 3P	3VT250H250	MA	250	50	3VT8325-2DA03-0AA0	1,271.25	
固定式, 3P	3VT400H250	MA	250	50	3VT8425-2DA03-0AA0	3,013.34	
固定式, 3P	3VT400H315	MA	315	50	3VT8431-2DA03-0AA0	3,013.34	
固定式, 3P	3VT400H400	MA	400	50	3VT8440-2DA03-0AA0	3,013.34	
固定式, 3P	3VT630H400	TMF	400	50	3VT8540-2AA03-0AA0	5,212.45	
固定式, 3P	3VT630H500	TMF	500	50	3VT8550-2AA03-0AA0	5,212.45	
固定式, 3P	3VT630H630	TMF	630	50	3VT8563-2AA03-0AA0	5,212.45	
固定式, 3P	3VT250H160	ER11	160	50	3VT8316-2EA03-0AA0	1,971.00	
固定式, 3P	3VT250H200	ER11	200	50	3VT8320-2EA03-0AA0	1,971.00	
固定式, 3P	3VT250H250	ER11	250	50	3VT8325-2EA03-0AA0	1,971.00	
固定式, 3P	3VT400H250	ER11	250	50	3VT8425-2EA03-0AA0	3,315.32	
固定式, 3P	3VT400H315	ER11	315	50	3VT8431-2EA03-0AA0	3,315.32	
固定式, 3P	3VT400H400	ER11	400	50	3VT8440-2EA03-0AA0	3,315.32	
固定式, 3P	3VT630H400	ER11	400	50	3VT8540-2EA03-0AA0	5,701.96	
固定式, 3P	3VT630H500	ER11	500	50	3VT8550-2EA03-0AA0	5,701.96	
固定式, 3P	3VT630H630	ER11	630	50	3VT8563-2EA03-0AA0	5,701.96	
固定式, 3P	3VT630L400	TMF	400	65	3VT8540-3AA03-0AA0	5,719.01	
固定式, 3P	3VT630L500	TMF	500	65	3VT8550-3AA03-0AA0	5,719.01	
固定式, 3P	3VT630L630	TMF	630	65	3VT8563-3AA03-0AA0	5,719.01	
固定式, 3P	3VT630L400	ER11	400	65	3VT8540-3EA03-0AA0	6,051.03	
固定式, 3P	3VT630L500	ER11	500	65	3VT8550-3EA03-0AA0	6,051.03	
固定式, 3P	3VT630L630	ER11	630	65	3VT8563-3EA03-0AA0	6,051.03	
SENTRON	固定式, 3P, 直流						
3VT8	固定式, 3P, 直流	3VT100N32	TMF	32	25	3VT8103-1AA03-0AA0-ZD00	#N/A
塑壳断路器	固定式, 3P, 直流	3VT100N40	TMF	40	25	3VT8104-1AA03-0AA0-ZD00	#N/A
直流型	固定式, 3P, 直流	3VT100N50	TMF	50	25	3VT8105-1AA03-0AA0-ZD00	#N/A
	固定式, 3P, 直流	3VT100N63	TMF	63	25	3VT8106-1AA03-0AA0-ZD00	#N/A
	固定式, 3P, 直流	3VT100N80	TMF	80	25	3VT8108-1AA03-0AA0-ZD00	#N/A
	固定式, 3P, 直流	3VT100N100	TMF	100	25	3VT8110-1AA03-0AA0-ZD00	#N/A
	固定式, 3P, 直流	3VT160N32	TMF	32	35	3VT8203-1AA03-0AA0-ZD00	#N/A
	固定式, 3P, 直流	3VT160N40	TMF	40	35	3VT8204-1AA03-0AA0-ZD00	#N/A
	固定式, 3P, 直流	3VT160N50	TMF	50	35	3VT8205-1AA03-0AA0-ZD00	#N/A
	固定式, 3P, 直流	3VT160N63	TMF	63	35	3VT8206-1AA03-0AA0-ZD00	#N/A
	固定式, 3P, 直流	3VT160N80	TMF	80	35	3VT8208-1AA03-0AA0-ZD00	#N/A

固定式, 3P, 直流	3VT160N100	TMF	100	35	3VT8210-1AA03-0AA0-ZD00	#N/A
固定式, 3P, 直流	3VT160N125	TMF	125	35	3VT8212-1AA03-0AA0-ZD00	#N/A
固定式, 3P, 直流	3VT160N160	TMF	160	35	3VT8216-1AA03-0AA0-ZD00	#N/A
固定式, 3P, 直流	3VT250N160	TMF	160	35	3VT8316-1AA03-0AA0-ZD00	#N/A
固定式, 3P, 直流	3VT250N200	TMF	200	35	3VT8320-1AA03-0AA0-ZD00	#N/A
固定式, 3P, 直流	3VT250N250	TMF	250	35	3VT8325-1AA03-0AA0-ZD00	#N/A
固定式, 3P, 直流	3VT400N250	TMF	250	35	3VT8425-1AA03-0AA0-ZD00	#N/A
固定式, 3P, 直流	3VT400N315	TMF	315	35	3VT8431-1AA03-0AA0-ZD00	#N/A
固定式, 3P, 直流	3VT400N400	TMF	400	35	3VT8440-1AA03-0AA0-ZD00	#N/A
固定式, 3P, 直流	3VT630N400	TMF	400	35	3VT8540-1AA03-0AA0-ZD00	#N/A
固定式, 3P, 直流	3VT630N500	TMF	500	35	3VT8550-1AA03-0AA0-ZD00	#N/A
固定式, 3P, 直流	3VT630N630	TMF	630	35	3VT8563-1AA03-0AA0-ZD00	#N/A

**SENTRON
3VT8
塑壳断路器**

固定式, 4P						
固定式, 4P	3VT63N10	TMF	10	25	3VT8010-1AA04-0AA0	471.65
固定式, 4P	3VT63N16	TMF	16	25	3VT8016-1AA04-0AA0	471.65
固定式, 4P	3VT63N20	TMF	20	25	3VT8020-1AA04-0AA0	471.65
固定式, 4P	3VT63N25	TMF	25	25	3VT8025-1AA04-0AA0	471.65
固定式, 4P	3VT63N32	TMF	32	25	3VT8032-1AA04-0AA0	471.65
固定式, 4P	3VT63N40	TMF	40	25	3VT8040-1AA04-0AA0	471.65
固定式, 4P	3VT63N50	TMF	50	25	3VT8050-1AA04-0AA0	471.65
固定式, 4P	3VT63N63	TMF	63	25	3VT8063-1AA04-0AA0	471.65
固定式, 4P	3VT100N32	TMF	32	25	3VT8103-1AA04-0AA0	513.87
固定式, 4P	3VT100N40	TMF	40	25	3VT8104-1AA04-0AA0	513.87
固定式, 4P	3VT100N50	TMF	50	25	3VT8105-1AA04-0AA0	513.87
固定式, 4P	3VT100N63	TMF	63	25	3VT8106-1AA04-0AA0	513.87
固定式, 4P	3VT100N80	TMF	80	25	3VT8108-1AA04-0AA0	513.87
固定式, 4P	3VT100N100	TMF	100	25	3VT8110-1AA04-0AA0	513.87
固定式, 4P	3VT160N32	TMF	32	35	3VT8203-1AA04-0AA0	879.98
固定式, 4P	3VT160N40	TMF	40	35	3VT8204-1AA04-0AA0	879.98
固定式, 4P	3VT160N50	TMF	50	35	3VT8205-1AA04-0AA0	879.98
固定式, 4P	3VT160N63	TMF	63	35	3VT8206-1AA04-0AA0	879.98
固定式, 4P	3VT160N80	TMF	80	35	3VT8208-1AA04-0AA0	879.98
固定式, 4P	3VT160N100	TMF	100	35	3VT8210-1AA04-0AA0	879.98
固定式, 4P	3VT160N125	TMF	125	35	3VT8212-1AA04-0AA0	879.98
固定式, 4P	3VT160N160	TMF	160	35	3VT8216-1AA04-0AA0	879.98
固定式, 4P	3VT250N160	TMF	160	35	3VT8316-1AA04-0AA0	1,116.20
固定式, 4P	3VT250N200	TMF	200	35	3VT8320-1AA04-0AA0	1,116.20
固定式, 4P	3VT250N250	TMF	250	35	3VT8325-1AA04-0AA0	1,116.20
固定式, 4P	3VT400N250	TMF	250	35	3VT8425-1AA04-0AA0	3,339.67
固定式, 4P	3VT400N315	TMF	315	35	3VT8431-1AA04-0AA0	3,339.67
固定式, 4P	3VT400N400	TMF	400	35	3VT8440-1AA04-0AA0	3,339.67
固定式, 4P	3VT630N400	TMF	400	35	3VT8540-1AA04-0AA0	5,619.96
固定式, 4P	3VT630N500	TMF	500	35	3VT8550-1AA04-0AA0	5,619.96
固定式, 4P	3VT630N630	TMF	630	35	3VT8563-1AA04-0AA0	5,619.96
固定式, 4P	3VT400N315	ER12	315	35	3VT8431-1EA04-0AA0	3,918.48
固定式, 4P	3VT400N400	ER12	400	35	3VT8440-1EA04-0AA0	3,918.48
固定式, 4P	3VT630N400	ER12	400	35	3VT8540-1EA04-0AA0	6,353.01
固定式, 4P	3VT630N500	ER12	500	35	3VT8550-1EA04-0AA0	6,353.01
固定式, 4P	3VT630N630	ER12	630	35	3VT8563-1EA04-0AA0	6,353.01
固定式, 4P	3VT63H10	TMF	10	50	3VT8010-2AA04-0AA0	715.18
固定式, 4P	3VT63H16	TMF	16	50	3VT8016-2AA04-0AA0	715.18
固定式, 4P	3VT63H20	TMF	20	50	3VT8020-2AA04-0AA0	715.18
固定式, 4P	3VT63H25	TMF	25	50	3VT8025-2AA04-0AA0	715.18
固定式, 4P	3VT63H32	TMF	32	50	3VT8032-2AA04-0AA0	715.18
固定式, 4P	3VT63H40	TMF	40	50	3VT8040-2AA04-0AA0	715.18
固定式, 4P	3VT63H50	TMF	50	50	3VT8050-2AA04-0AA0	715.18
固定式, 4P	3VT63H63	TMF	63	50	3VT8063-2AA04-0AA0	715.18
固定式, 4P	3VT100H32	TMF	32	50	3VT8103-2AA04-0AA0	720.87
固定式, 4P	3VT100H40	TMF	40	50	3VT8104-2AA04-0AA0	720.87
固定式, 4P	3VT100H50	TMF	50	50	3VT8105-2AA04-0AA0	720.87
固定式, 4P	3VT100H63	TMF	63	50	3VT8106-2AA04-0AA0	720.87

固定式, 4P	3VT100H80	TMF	80	50	3VT8108-2AA04-0AA0	720.87
固定式, 4P	3VT100H100	TMF	100	50	3VT8110-2AA04-0AA0	720.87
固定式, 4P	3VT160H32	TMA	32	50	3VT8203-2BA04-0AA0	1,278.56
固定式, 4P	3VT160H40	TMA	40	50	3VT8204-2BA04-0AA0	1,278.56
固定式, 4P	3VT160H50	TMA	50	50	3VT8205-2BA04-0AA0	1,278.56
固定式, 4P	3VT160H63	TMA	63	50	3VT8206-2BA04-0AA0	1,278.56
固定式, 4P	3VT160H80	TMA	80	50	3VT8208-2BA04-0AA0	1,278.56
固定式, 4P	3VT160H100	TMA	100	50	3VT8210-2BA04-0AA0	1,278.56
固定式, 4P	3VT160H125	TMA	125	50	3VT8212-2BA04-0AA0	1,278.56
固定式, 4P	3VT160H160	TMA	160	50	3VT8216-2BA04-0AA0	1,278.56
固定式, 4P	3VT250H160	TMA	160	50	3VT8316-2BA04-0AA0	1,613.82
固定式, 4P	3VT250H200	TMA	200	50	3VT8320-2BA04-0AA0	1,613.82
固定式, 4P	3VT250H250	TMA	250	50	3VT8325-2BA04-0AA0	1,613.82
固定式, 4P	3VT400H250	TMA	250	50	3VT8425-2BA04-0AA0	3,829.99
固定式, 4P	3VT400H315	TMA	315	50	3VT8431-2BA04-0AA0	3,829.99
固定式, 4P	3VT400H400	TMA	400	50	3VT8440-2BA04-0AA0	3,829.99
固定式, 4P	3VT630H400	TMF	400	50	3VT8540-2AA04-0AA0	6,271.83
固定式, 4P	3VT630H500	TMF	500	50	3VT8550-2AA04-0AA0	6,271.83
固定式, 4P	3VT630H630	TMF	630	50	3VT8563-2AA04-0AA0	6,271.83
固定式, 4P	3VT400H250	ER12	250	50	3VT8425-2EA04-0AA0	4,317.87
固定式, 4P	3VT400H315	ER12	315	50	3VT8431-2EA04-0AA0	4,317.87
固定式, 4P	3VT400H400	ER12	400	50	3VT8440-2EA04-0AA0	4,317.87
固定式, 4P	3VT630H400	ER12	400	50	3VT8540-2EA04-0AA0	7,004.87
固定式, 4P	3VT630H500	ER12	500	50	3VT8550-2EA04-0AA0	7,004.87
固定式, 4P	3VT630H630	ER12	630	50	3VT8563-2EA04-0AA0	7,004.87
固定式, 4P	3VT630L400	TMF	400	65	3VT8540-3AA04-0AA0	7,250.02
固定式, 4P	3VT630L500	TMF	500	65	3VT8550-3AA04-0AA0	7,250.02
固定式, 4P	3VT630L630	TMF	630	65	3VT8563-3AA04-0AA0	7,250.02
固定式, 4P	3VT630L400	ER12	400	65	3VT8540-3EA04-0AA0	7,983.07
固定式, 4P	3VT630L500	ER12	500	65	3VT8550-3EA04-0AA0	7,983.07
固定式, 4P	3VT630L630	ER12	630	65	3VT8563-3EA04-0AA0	7,983.07

3VT8

常用附件

辅助触点（注：VT63 ~ 160 的辅助/报警触点只可以工厂更换，如增加请同客服联系）						
VT250					3VT9400-2AB00	103.10
VT400					3VT9400-2AB00	103.10
VT630					3VT9500-2AB00	103.10
报警触点（注：VT63 ~ 160 的辅助/报警触点只可以工厂更换，如增加请同客服联系）						
VT250					3VT9400-2AC00	103.10
VT400					3VT9400-2AC00	103.10
VT630					3VT9500-2AC00	103.10
分励脱扣器（注：VT63 ~ 160 的分励脱扣器只可以工厂更换，如增加请同客服联系）						
220AC						
VT250					3VT9400-2AG20	228.93
VT400					3VT9400-2AG20	228.93
VT630					3VT9500-2AG20	228.93
380AC						
VT250					3VT9400-2AG30	228.93
VT400					3VT9400-2AG30	228.93
VT630					3VT9500-2AG30	228.93
110DC						
VT250					3VT9400-2AG40	228.93
VT400					3VT9400-2AG40	228.93
VT630					3VT9500-2AG40	228.93
220DC						
VT250					3VT9400-2AG50	228.93
VT400					3VT9400-2AG50	228.93
VT630					3VT9500-2AG50	228.93
欠压脱扣器（注：VT63 ~ 160 的欠压脱扣器只可以工厂更换，如增加请同客服联系）						
220AC						
VT250					3VT9400-2AL20	388.04
VT400					3VT9400-2AL20	388.04
VT630					3VT9500-2AL20	388.04

380AC						
VT250					3VT9400-2AL30	388.04
VT400					3VT9400-2AL30	388.04
VT630					3VT9500-2AL30	388.04
110DC						
VT250					3VT9400-2AL40	388.04
VT400					3VT9400-2AL40	388.04
VT630					3VT9500-2AL40	388.04
门耦合旋转操作机构						
VT63					3VT9100-3MG10	168.04
VT100					3VT9100-3MG10	168.04
VT160					3VT9200-3MG10	168.04
VT250					3VT9300-3MG10	168.04
VT400					3VT9400-3MG10	235.42
VT630					3VT9500-3MG10	235.42
电动操作机构（配有急停按钮）						
220V AC/220V DC						
VT160					3VT9200-3MN20	1,216.86
VT250					3VT9300-3MN20	2,623.69
VT400					3VT9400-3MN20	2,813.64
VT630					3VT9500-3MN20	2,813.64
110V DC						
VT160					3VT9200-3MN40	1,216.86
VT250					3VT9300-3MN40	2,623.69
VT400					3VT9400-3MN40	2,813.64
VT630					3VT9500-3MN40	2,813.64
正面旋转操作机构						
VT250					3VT9300-3MC10	220.00
VT400					3VT9400-3MC10	304.42
VT630					3VT9500-3MC10	304.42
用于固定式断路器的加长型板前连接母线						
3极 1套 = 6件						
VT63					3VT9100-1CB30	68.20
VT100					3VT9100-1CB30	68.20
VT160					3VT9200-1CB30	80.37
VT250					3VT9300-1CB30	80.37
VT400					3VT9400-1CB30	250.04
VT630					3VT9500-1CB30	319.03
4极 1套 = 8件						
VT63					3VT9100-1CB40	90.92
VT100					3VT9100-1CB40	90.92
VT160					3VT9200-1CB40	106.34
VT250					3VT9300-1CB40	106.34
VT400					3VT9400-1CB40	333.64
VT630					3VT9500-1CB40	426.19
用于固定式断路器的板后螺杆接线端子						
3极 1套 = 6件						
VT63					3VT9100-1CC30	159.12
VT100					3VT9100-1CC30	159.12
VT160					3VT9200-1CC30	182.66
VT250					3VT9300-1CC30	205.38
VT400					3VT9400-1CC30	410.77
VT630					3VT9500-1CC30	540.65
4极 1套 = 8件						
VT63					3VT9100-1CC40	212.69
VT100					3VT9100-1CC40	212.69
VT160					3VT9200-1CC40	243.54
VT250					3VT9300-1CC40	266.27
VT400					3VT9400-1CC40	540.65
VT630					3VT9500-1CC40	707.06
相间隔板						

3极1套=6件						
VT63					3VT9100-1CM30	38.16
VT100					3VT9100-1CM30	38.16
VT160					3VT9200-1CM30	38.16
VT250					3VT9300-1CM30	68.20
VT400					3VT9400-1CM30	80.37
VT630					3VT9500-1CM30	90.92
4极1套=8件						
VT63					3VT9100-1CM40	57.64
VT100					3VT9100-1CM40	57.64
VT160					3VT9200-1CM40	57.64
VT250					3VT9300-1CM40	90.92
VT400					3VT9400-1CM40	106.34
VT630					3VT9500-1CM40	122.58
接线端子盖						
3极1套=6件						
VT63					3VT9100-1CN30	68.20
VT100					3VT9100-1CN30	68.20
VT160					3VT9200-1CN30	68.20
VT250					3VT9300-1CN30	68.20
VT400					3VT9400-1CN30	72.25
VT630					3VT9500-1CN30	76.31
4极1套=8件						
VT63					3VT9100-1CN40	90.92
VT100					3VT9100-1CN40	90.92
VT160					3VT9200-1CN40	90.92
VT250					3VT9300-1CN40	90.92
VT400					3VT9400-1CN40	98.23
VT630					3VT9500-1CN40	98.23

3VT8 非标准
型号选型表

订货号位数:1-12 **13-14 15-16**
标准订货号:3VT8110-1AA03 - **0A A0**

辅助开关		
标配: 无辅助脱扣器	0A	-
1HS (辅助开关: 1CO)	0B	108.78
1AS (报警开关: 1CO)	0C	108.78
1HS+1AS (辅助开关 + 报警开关)	0D	210.25
2HS+1AS (辅助开关 + 报警开关)	0E	209.44
2HS+1AS (辅助开关 + 报警开关)	0F	309.29
分励脱扣器		
分励脱扣器, 电压AC220V	2G	240.29
分励脱扣器, 电压AC380V	3G	240.29
分励脱扣器, 电压DC110V	4G	240.29
分励脱扣器, 电压DC220V	5G	240.29
分励脱扣器, 电压AC220V, 1HS (辅助开关)	2H	348.25
分励脱扣器, 电压AC380V, 1HS (辅助开关)	3H	348.25
分励脱扣器, 电压DC110V, 1HS (辅助开关)	4H	348.25
分励脱扣器, 电压DC220V, 1HS (辅助开关)	5H	348.25
分励脱扣器, 电压AC220V, 1AS (报警开关)	2J	348.25
分励脱扣器, 电压AC380V, 1AS (报警开关)	3J	348.25
分励脱扣器, 电压DC110V, 1AS (报警开关)	4J	348.25
分励脱扣器, 电压DC220V, 1AS (报警开关)	5J	348.25
分励脱扣器, 电压AC220V, 1HS + 1AS (辅助 + 报警)	2K	448.92
分励脱扣器, 电压AC380V, 1HS + 1AS (辅助 + 报警)	3K	448.92
分励脱扣器, 电压DC110V, 1HS + 1AS (辅助 + 报警)	4K	448.92
分励脱扣器, 电压DC220V, 1HS + 1AS (辅助 + 报警)	5K	448.92
欠压脱扣器		
欠压脱扣器, 电压AC220V	2L	406.70
欠压脱扣器, 电压AC380V	3L	406.70
欠压脱扣器, 电压DC110V	4L	406.70
欠压脱扣器, 电压AC220V, 1HS (辅助开关)	2M	515.48
欠压脱扣器, 电压AC380V, 1HS (辅助开关)	3M	515.48

欠压脱扣器, 电压DC110V, 1HS (辅助开关)	4M	515.48
欠压脱扣器, 电压AC220V, 1AS (报警开关)	2N	515.48
欠压脱扣器, 电压AC380V, 1AS (报警开关)	3N	515.48
欠压脱扣器, 电压DC110V, 1AS (报警开关)	4N	515.48
欠压脱扣器, 电压AC220V 1AH + 1AS (辅助 + 报警)	2P	616.95
欠压脱扣器, 电压AC380V 1AH + 1AS (辅助 + 报警)	3P	616.95
欠压脱扣器, 电压DC110V 1AH + 1AS (辅助 + 报警)	4P	616.95
底座安装方式 (价格请直接咨询SIEMENS销售或查询价格软件)		
标配: 固定式, 板前接线	A0	
插入式底座, 板前接线 (适用于 VT100 ~ VT400)	F0	
插入式底座, 板后螺杆接线 (适用于 VT100 ~ VT400)	G0	
抽出式底座, 板前接线 (适用于 VT400 ~ VT630)	H0	
抽出式底座, 板后螺杆接线 (适用于 VT400)	J0	
抽出式底座, 板后水平接线 (适用于 VT630)	K0	
抽出式底座, 板后垂直接线 (适用于 VT630)	L0	

举例:

需订购 3VT160 固定式, 3P, 额定电流 100 A, N分断, TM, 分励为 DC 110V.1HS+1AS。

则完整型号为: 3VT160 N100 A/3P F + 附件: MX (DC 24V) + 1HS + 1AS

简略型号为: 3VT160 N100 A + 附件: MX (DC 24V) + 1HS + 1AS (除掉可以略去不写的部分)

其订货号的生成方法为:

1. 先找到标准的订货号为: 3VT8110-1AA03-0AA0 价格为: 458.00

2. 然后根据上表把第 1 ~ 14 位由标配“0A”换为“4K”。

则其订货号为: 3VT8110-1AA03-4KA0 价格为: 458.00 + 553.00 = 1011.00

注: 3VT 的底座不可单独订购